

-435-

X-35 Just 4 Fun

SOLD





www.cruiser-racer.com



GENERAL	
Name	X-35 Just 4 Fun
Model	X-35
Туре	CRUISER-RACER
Year	2006
Hull Material	GRP
Flag	dutch
Lying	Barcelona
Price	PRICE UNDER REQUEST
Vat	NOT PAID
Slogan	Ready to race condition.
Final Notes	Build No 57. International ONE DESIGN CLASS. CE Certification Directive 94/25/CE (Category "A" Ocean).

DIMENSIONS	
	11.00 m
	9.12 m
	3.27 m
Draft	2.15 m
Ballast	1700 kg
Displacement	4300 kg

ENGINES	
Notes	A 3-cylinder Yanmar 20 HP diesel engine mounted on rubber suspension with S- drive installation and 2-bladed folding propeller.
	Fuel tank 50-litre aluminium fuel tank with tank level gauge, deck fill, separator including filter and shut off valves.





TANKAGE

 Notes
 Hot and Cold water pressurized water system

 Isotherm cooling compressor, mounted in cool box

 Hot water container (19ltr) connected to cooling water of engine with an additional

220V electrical immersion heater

INSTRUMENTS	
Notes	Mounted at chart table: Simrad RD68 VHF.
	Mounted in coaming recess: Autopilot display connected to Hydra 2000 ACP1 pilot pack, with linear drive mounted on quadrant:
	B&G Hercules 2000 race pack, consisting of: Transducers: Speed (paddle wheel) and echo transducer Wind transducer 213 vertical MHU – 810 mm Main processor, Hercules Race processor and Halcyon 2000 compass sensor Mounted on hull underside: Speed (paddle wheel) and echo transducer Mounted at mast top: Wind transducer 213 vertical MHU – 810 mm Remote vision multi hand held control.
	Instrument displays: 2 x FFD (Fully Functional displays) Displays mounted in cockpit Port and Starboard 4 x 20/20 mast mounted displays (red) Mounted on 20/20 mast bracket

ELECTRICAL	
Notes	12V DC system
	X-Yachts' main switchboard includes thermo fuses, 1 analogue meter for monitoring actual voltage of service battery and for monitoring the actual level in the fuel tank. The 12V DC system also includes a 12V DC plug located behind the
	electrical panel. Batteries
	1 x 12V 120 amps Gel service and 1 x 12V 55 amps engine spiral-cell battery.
	230V AC shore power system



www.cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com

SPARS & RIGGING	
Sails	2006:
	Main Max-1 860 M Carbon/Aramid
	ORC Heavy Jib
	• Jib Light/Medium
	Jib Medium/Heavy
	• S3-4 Spinnaker SAX-1 / .75oz
	• S2+ spinnaker SRX-1 / .5oz
	• Tri sail
	2007:
	Main Max-2 860 M Carbon/Aramid
	Jib Light/Medium
	Jib Medium/Heavy
	• S2+ spinnaker SRX-1 / .5oz
	2008:
	Main Max-3 860 M Carbon/Aramid (2nd Copa del Rey)
	• Jib Light/Medium
	Jib Medium/Heavy (2nd Copa del Rey)
	• S2+ spinnaker SRX-1 / .5oz
Notes	Race packet: Carbon spinnaker pole, 4 Spectra sheets and guys, 4 blocks on pad
	eyes for guys and sheets, pad eyes on rail for barber hauls, pole downhaul led to
	both sides, in-hauler system for genoa incl. blocks, pad eyes and cam cleats.
	2nd reefing line with additional jammer and halyard block mounted.
	Main halyard, Genoa Halyard and set Sheets and guys all new late 2008

DECK	
Notes	Standard X-35 as per class rules including:
	German Main sheet
	Primaries/genoa: 2 x Harken B48.2 A
	Halyards: 2 x Harken B40.2 STQ (Quattro)
	Mainsheet: 2 x Harken B40.2 STA
	Spin lock clutches
	Down haul, vang, outhaul and Cunningham lead to both sides.

CONSTRUCTION

Notes	The outer surface skin laminate of the hull is laid up with vinyl ester resin.
	The hull is built in a sandwich construction made up of isolatic polyester resin and biaxial E-glass fabric.
	Further reinforcements include particular positioned biaxial E-glass fabric in high
	stress areas. Core material is 15-20 mm compressed Divinycell.
	Bottom treatment: Mat-sanding, 3 x epoxy/2 x antifouling.



www.cruiser-racer.com



ACCOMODATIONS	
Bath Shower	Yes
Notes	The yacht's wooden interior is made of mahogany in a hand polished satin finish. All carpentry is carried out in accordance with best yacht practice.
	Forward cabin The cabin has a hinged berth (200x170/65 wide) with easy access to the three compartments below. For cloth, the modern design incorporates a double wardrobe with shelves and hangers (90x55 cm deep). Natural light from the skylight is employed to compliment the polished mahogany woodwork, achieving a warm and cosy atmosphere, also during daylight.
	Aft berths Under the cockpit floor, the aft sleeping berths are separated into two sections via a centre wooden longitudinal bulkhead. Two berths are 200 x 130 cm wide tapered towards the aft end.
	Heads The head has a water-flushed pump toilet and white gel coat units with integrated sink with mixer tap.
	Engine compartment Situated below the companionway with excellent access and sound insulation with special foam material.
	Saloon On each side of the rectangular shaped, foldable table (110x100 cm) are two large sofas (190 cm long). The table also has a built-in locker.
	Navigation area To starboard of the companionway, the navigation table is situated together with the top opening 100 I GRP cooling box. Navigation and communication equipment as well as the yacht's switchboard are fitted in this area. Under the hinged navigation table (50x60 cm deep) and in the alongside locker, charts and navigation equipment can be stored.
	Galley To port of the companionway is the galley with a rectangular sink with a tap integrated in laminated tabletops and a s/s gimballed gas stove with 2 jets and an oven. A 2 kg gas bottle is stored in a separate self-draining locker. Shelves and lockers with plexi-glass sliding doors give sufficient storage space for food, plates, cutlery, pans, cups and glasses.
	Cushions Cushions are made of high quality 40 kg/m ³ foam covered with the upholstery ARON BLUE 510.



κ

G



EXTRA NOTES

Extra Notes A 10 kg galvanised Trefoil anchor with 30 m warp including lead insert.

2 dry powder fire extinguishers of 2 kg each are fitted.

Fenders and mooring lines

4 white fenders with lanyards

2 polyester mooring ropes 20 m x 14 mm

3 winch handles



www.cruiser-racer.com































www.cruiser-racer.com









