

C R U I S E R R A C E R

www.cruiser-racer.com

-1087-

Beneteau First 44 Pinokyo

FOR SALE



C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com

GENERAL	
Name	Beneteau First 44 Pinokyo
Model	First 44 Pinokyo
Type	CRUISER-RACER
Year	2023
Hull Material	GRP
Flag	Turkey
Sail Number	TUR4404
Color	WHITE
Lying	Turkey
Price	495000
Vat	NOT PAID
Slogan	With the First 44, BENETEAU achieves the noblest expression of cruising-racing
General Notes	<p>This splendid sailboat Beneteau First 44 Pinokyo Performance version, with an exceptional design, is today the natural link between the First 36 and 53. It cultivates efficiency, elegance and comfort at the same time, thanks in particular to the quality of the equipment that offers unparalleled sailing pleasure.</p> <p>With the First 44, BENETEAU achieves the noblest expression of cruising-racing: a sailboat whose seaworthy qualities ensure happiness under sail, without ever sacrificing comfort and elegance. The generous sail plan allows the First 44 to be dynamic and efficient in all conditions.</p> <p>INTERIOR EQUIPMENT AMBIANCE</p> <ul style="list-style-type: none"> • Interior upholstery according to colour chart: Fabrics, Leather, Nubuck, Ultraleather <p>DOMESTIC APPLIANCES</p> <ul style="list-style-type: none"> • 3 burners ENO Grand Large Gas cooker + Tempered glass cover on the hotplate <p>INTERIOR</p> <ul style="list-style-type: none"> • Alpi teak woodwork and white lacquered wood on bulkheads • Alpikord teak flooring • Lounge Falcon 162 fabric interior upholstery • Mattresses in the cabins (HR foam 35 kg/m³, thickness 120 mm/5") • Beige padded ceilings

C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com

GENERAL	
Final Notes	<p>HULL - DECK - COCKPIT</p> <ul style="list-style-type: none"> • Pearl grey gel-coat (Hull & Bowsprit), hull decoration white pearl • Metallic hull paint (Hull, Aft transom, Bowsprit) • Iro-Deck slatted side decks • LED lighting of spreaders, for anodized aluminium mast, black lacquered aluminum mast, carbon mast • Electrically opening bathing platform, Control at steering station + Remote control • Water ballast in the aft cabins (not compatible with full boat air conditioning and heating options) • Roof solar panels (400 W) Compatible with First 44 and First 44 Performance version • Ballast Performance (Cast iron/Lead) • Retractable bow thruster + 2 Dedicated batteries (50 Amps - 12V) - Control on starboard console • White composite steering wheels • Outboard engine bracket • Polyester folding gangway (2,60m / 8'6") • Electric inflator/deflator for tender and fenders (portable, batterypowered) • Shore fresh water supply • 1,20 m/3'11" carbon flagstaff (in lieu of standard) <p>COCKPIT COMFORT - First 44</p> <ul style="list-style-type: none"> • Outside cockpit upholstery with backrests. Filter foam 80 mm/3" (Density: 60F + 20S). - Sunbrella Loop Sand - Dolce 51 <p>OUTSIDE PROTECTIONS - First 44</p> <ul style="list-style-type: none"> • Sprayhood with LED lighting, Strataglass windows, Charcoal Grey • Bimini Charcoal Grey (sprayhood option required) • Sunshade for the cockpit, Charcoal Grey (compatible with all booms)

DESIGN	
Builder	BISCONTINI YACHT DESIGN
Designer	LORENZO ARGENTO

C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)
 Tel.: (+34) 934 186 632
 Mobile: (+34) 616 420 634
 E-Mail: info@cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com

DIMENSIONS	
Loa	14.65 m
Lwl	12,82 m
Beam	4,25 m
Draft	2,60 m
Ballast	3.300 kg
Displacement	10 660 kg

ENGINES	
Engines	YANMAR
Propeller	3 Blade Folding propeller
Notes	<p>Inboard engine.</p> <ul style="list-style-type: none"> • Engine Yanmar Diesel: - 57 HP, Sail Drive, Common Rail (standard) • Engine control at the starboard helm station - Control panel • Engine compartment: - Soundproofing foam - Ventilation: 2 air intakes and 1 forced air outlets • 1 Alternator (12V / 125Ah) • 1 Rotomoulded diesel tank 200 L / 53 US Gal (under port aft berth) - Electronic gauge - Low level alarm - 1 Deck filler • Filters: Seawater - Diesel - Water separator • Foldable three-blade propeller • 1 Engine access through companionway (opening with 2 gas struts) • 2 Engine access through aft cabins

TANKAGE	
Fuel	200 l
Water	330 l

C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)
Tel.: (+34) 934 186 632
Mobile: (+34) 616 420 634
E-Mail: info@cruiser-racer.com

TANKAGE	
Notes	PLUMBING <ul style="list-style-type: none"> • 1 Rotomoulded freshwater tank 330 L / 87 US Gal, under berth in forward cabin - 1 Deck filler • Pressurised electric water pump - Expansion tank - Inline filter • 40 L / 11 US Gal Electric water heater (engine use) • 1 Rigid black water holding tank for each WC • Electrical shower drain pumps • 1 Electric bilge pump • 1 Manual bilge pump • Additional water tanks (200L / 53 US Gal), under aft starboard cabin berth • Seawater electric pump, in galley • TECMA electric fresh water/sea water WC in the owner's head • Quiet Flush fresh water/seawater electric WC in the aft starboard head

GALLEY	
Hot Water	yes
Coolbox	yes
Refrigerator	yes
Water System	yes
Notes	GAS <ul style="list-style-type: none"> • 1 Box for 2 gas bottles in the anchor locker (Diameter: 0,39 x 0,39m/ 1'3" x 1'3" - Height: 0,51m / 1'8") • Regulator and safety tap • Gas leak detector Headroom: 1,92m / 6'4" • L-shaped galley • Corian Glacier White work top with moulded Apli teak beading • 1 1 rectangular stainless steel sink - 1 Mixer tap with hot/cold water under pressure • 1 Gas cooker 2 burners - Stainless steel/grill fitted on swivel joints(19L) - Stainless steel protection handrail -Stowage below the oven with drop-down door • 1 Storage unit with 1 door and 1 internal drawer for cutlery • 190L / 50 US Gal icebox, with top and front opening • Fitted lockers and closed shelving • 1 Bin (20L) • 1 Opened compartment along the side of the hull • 1 Opening portlight with curtains in the coachroof side window

INSTRUMENTS	
Electronics	Garmin
Gps	Bluechart G3
Vhf	yes
Automatic Pilot	yes
Plotter	Bluechart G3
Radar	YES
Notes	<p>WIFI: Fusion RA210</p> <ul style="list-style-type: none"> • Windlass control in cockpit with chain counter • HiFi: Fusion RA210 + 2 Interior loudspeakers & 2 Waterproof exterior speakers • Induction charging station for smartphones at the chart table • Cabins: Mosquito nets for opening portholes • LED indirect lighting • Navicolor 3.5" screen, Battery charge display • IBS sensor • 2 Additional ancillary AGM batteries 12 V 100 A <p>Garmin Pack (First 44 Performance) PERFORMANCE PACK (without console at helm station)</p> <ul style="list-style-type: none"> • 3 GNX120 7" mast screens + mast bracket + cover • 800 AIS • GARMIN Quatix 7 connected watch • Wind Sensor gWind Race - pole 1m / 3'3":Windvane, Anemometer • 24xd NMEA 2000 GPS aerial • PC interface (GND10) • Aimar DST810 Sensor (Log, Speedometer, Temperature) • Fixed 315i VHF at chart table, without AIS receiver function • GHS11 VHF Wired handset at starboard helm station • Windex Windvane • Protective covers for steering wheels (Charcoal Grey) <p>SMART BOARD</p> <p>"SEANAPPS" smart technology:</p> <ul style="list-style-type: none"> • For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application. • The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

ELECTRICAL	
Battery Charger	yes
Notes	<ul style="list-style-type: none"> • 12 V electrical panel (Breaker, Voltmeter, Water gauge, Fuel gauge, Battery warning, Fuel warning, Water warning) + Single USB port + Navicolor 2.4" screen • 12V circuit • 2 AGM service batteries - 100Ah (For First 44 version) • 1 AGM engine battery - 50Ah • Battery cut-off switch in the aft starboard cabin (under bed) • 1 Battery charger (40Ah) • 1 Power distributor • 5 230V Sockets: <ul style="list-style-type: none"> - 1 in the forward cabin - 1 in the aft cabins - 1 in the saloon (Starboard) - 1 at chart table - 1 in galley • 6 USB sockets: <ul style="list-style-type: none"> - 2 in the forward cabin - 1 in the aft cabins - 1 on the electrical panel - 1 at chart table • 1 Shore power socket 230 V, in the port cockpit locker • LED lighting: <ul style="list-style-type: none"> - Overhead lights - Reading lights - Indirect lighting • LED navigation lights: <ul style="list-style-type: none"> - 1 Masthead light - 1 Steaming light - 1 Anchor light on masthead

CRUISER RACER

www.cruiser-racer.com

SPARS & RIGGING

Sails	SAILS 1 main 3 jib Code 0 A1 A2 code 5
Rigging	Rod
Mast	Carbon
Spinnaker Pole	3
Running Rigging	dynema

CRUISER RACER

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com

SPARS & RIGGING

SPARS & RIGGING	
Notes	<p>RIGGING</p> <ul style="list-style-type: none"> . 1 Aft Rigging (sets) - C-strand Rigging, - Harken Element blocks at foot of mast, - Facnor Facsilde FR25 mainsail track (without traveller) • Carbon classical mast tapered, deck-stepped (+ 1,60m / 5'3", Weight saving: 75kg / 165 lbs) 2 Aft swept spreaders, Sparcraft, Black lacquered boom with LED lighting - warm white - ROD Standing rigging - Harken Black Magic blocks at mast foot - Harken System A mainsail track (without traveller) - Mainsail sheets track in the bottom of the cockpit - Harken 1,80 m/5'11" + track Note: The carbon mast requires a mastjack (both for installation on delivery and for tensioning the shrouds during regattas), equipment not supplied by the yard. • Black lacquered aluminum rigid kicking strap with Dyneema tackle and friction rings • Genoa tracks on the roof with traveller and hauling line controlled from the cockpit • Manual Genoa furler on the deck (Facnor Flatdeck) • Dyneema Complete running rigging: <ul style="list-style-type: none"> - Mainsheet halyard sheave block, - Genoa halyard, - Boom uphaul (polyester) with cleat on mast, - Mainsheet, - 2 Genoa sheets, - 2 Automatic reefing system • Harken pulleys • 2 Spinnaker sheet chain plates/code 0 • Running rigging hidden

DECK

Deck Hardware	Harken
Winches	Harken

C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

DECK	
Notes	<p>First 44 Performance</p> <ul style="list-style-type: none"> • Upgrade: 2 Harken Performa (H60.2 STPEH) electric manoeuvre winches <p>Winches - HARKEN Performa</p> <ul style="list-style-type: none"> • 2 H50.2 STP Harken Performa manual manoeuvre winches on the roof + 3 clutches on port and starboard roof • 2 H60.2 STP Harken Performa manual genoa winches behind cockpit benches • 2 H60.2 STP Harken Performa manual Spinnaker winches (For manoeuvring: main sail sheet, adjustment of Genoa sail carriage staysail sheet - downhaul - foot of main sail + reef 1&2 - and for spinnaker sheets - spinnaker tack - barber hauler) • 4 Aluminum Speed Grip winch handles • Winch handle storage in dedicated space in rope bags Other specificities of the PERFORMANCE version • 1 Lithium battery replacing the AGM batteries (Weight saving: Approximately 110 kg / 242 lbs) • 3 Lee cloth (Saloon & Aft cabins)

SAFETY	
Ce Registration	yes
Fire Extinguishers	yes
Liferaft	yes

CONSTRUCTION	
Keel	IRON

CRUISER RACER

www.cruiser-racer.com

CONSTRUCTION

Notes

Low vcg iron+lead keel. No wing keel.

- Design in accordance with European Directive requirements and according to CE certification
- ISO 12215 certified structure
- Balsa sandwich infusion hull
- Vacuum infused structural inner liner (Fabrics - resin) bonded to the hull
- Fiberglass sandwich, PET foam, balsa wood infusion deck, with diamond pattern non-slip coating
- Cast iron keel attached with bolts and bonded stainless steel backplate.
- Polyester bowsprit, 1m / 3'3"
- Twin rudders hung with stainless steel stock
- White coloured hull - Aluminum grey hull decoration
- 6 Hull portholes

1 PRIVATE HEAD

to port

Headroom: 1,92m / 6'4"

- 1 Shower with foldable perspex door
- 1 Manual toilet
- 1 64 L / 17 US Gal rigid holding tank
- Work top in Corian Glacier White
- 1 Integrated polyester basin - Mixer tap
- 1 Cabinet - Mirror
- Toilet accessories
- 1 Deck hatch with opaque film
- LED indirect lighting + Spot lighting

PORT AND STARBOARD AFT CABINS

Headroom: 1,94m / 6'4"

- 1 Double bed (2,04m x 1,38m / 6'8" x 4'6")
- 1 Hanging locker, 1 Cupboard with shelves, with incorporated LED lighting
- 1 Top-opening storage in front of the wardrobe
- 1 Opened compartment along the side of the hull
- 2 Flexible and adjustable reading lights
- 1 dual USB port
- 1 230 V socket
- 1 Porthole with rigid sliding blind
- 1 Opening window with below cockpit seat with pleated blind
- 1 Opening window on coaming with pleated blind

CRUISER RACER

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

ACCOMODATIONS	
Cabins Number	3
Bath Shower	Yes
Heating	yes
Notes	<p>3 Cabins 2 heads</p> <p>ON BOARD COMFORT EQUIPMENT</p> <ul style="list-style-type: none"> • Berth in saloon (Electric saloon table pedestal + cushion matching the saloon upholstery for Lounge area use) • 12V / 230V inverter - 2 000 VA • 1 200Ah Lithium batteries to replace the AGM batteries - Weight saving: Approximately 110 kg / 242 lbs The lithium batteries can be used in exactly the same way as the greater number of AGM batteries that they replace. This technology allows 100% of the battery capacity to be used compared with 75% for the AGM batteries. The engine battery is still AGM. • Spring mattress in the owner's cabin (thickness: 180mm / 7") • Air conditioning 16 000 BTU in saloon and forward cabin (+ Shore socket extension cord 15m / 49'3") - 32A • 24 000 BTU air conditioning full boat (only for use via shore power supply) + Shore socket extension cord 15m / 49'3" • Tableware - 6 people <p>COMPANIONWAY</p> <p>Headroom: 1,98m / 6'6"</p> <ul style="list-style-type: none"> • Saloon companionway with 5 suspended Alpikord teak non-slip steps, LED lighting below each step • 1 Leather-covered stainless steel handrail (DK02 - chocolat color) <p>OWNER'S CABIN</p> <p>Headroom: 1,93m / 6'4"</p> <ul style="list-style-type: none"> • Central double bed (2,04m x 1,12m - 1,60m / 6'9" x 3'8" - 5'3") • Padding along the hull and at headboard: Beige PVC • 1 Bed access sideboard • 1 Chair on each side of bed • 1 Hanger closet, with incorporated LED lighting • 2 Flexible and adjustable bedside lamps • 1 T60 flush deck hatch with blind/mosquito net • 1 Flush opening deck hatch (330mm x 140mm) • 2 Portholes with rigid sliding blind • 1 230V power socket to starboard • 1 dual USB port outlet on each side of the bed • LED indirect lighting + 2 overhead lights

EXTRA NOTES	
Speakers Cockpit	yes
Swimming Ladder	yes
Extra Notes	<ul style="list-style-type: none"> • Smoke detector • Cleaning kit: eco-friendly cleaning products kit <p>CHART TABLE to starboard from the companionway</p> <ul style="list-style-type: none"> • Long chart table with fiddles, storage under the lifting top • High cabinet with storage (or, in option, navigation screen) • 1 Adjustable reading light • 1 dual USB port • 1 230 V socket <p>SALOON Headroom: 1,95m / 6'5"</p> <p>Port saloon</p> <ul style="list-style-type: none"> • Alpi teak saloon table with fixed top (can seat up to 6 diners) • Face to face benches with large storages under seat • Face to face saloon convertible into double berth as option <p>Starboard saloon</p> <ul style="list-style-type: none"> • Comfortable sofa facing the saloon: <ul style="list-style-type: none"> - seats with HR26 and HR30 foam - softness thanks to the finish with hollow fibres + padding - Storage under seating • 1 230 V socket • 1 Electrical panel to starboard incorporated into a high cabinet • 2 T44 Opening deck hatches with mosquito screen/blinds • Indirect LED lighting below the soft and the upper part of the portholes • 1 Adjustable reading light • Pillar with beige cover <p>AFT STARBOARD HEAD COMPARTMENT Headroom: 1,93m / 6'4"</p> <p>Access through saloon</p> <ul style="list-style-type: none"> • Shower separated with a perspex door - 1 Mixer tap - White polyester shower base • Work top in Corian Glacier White • 1 Manual toilet • 1 64 L / 17 US Gal rigid holding tank • 1 Washbasin - 1 Mixer tap • 1 Cabinet + Storage space under the basin • 1 Mirror • Toilet accessories • 1 Opening porthole on coaming in side window, opaque film, mosquito screen • LED indirect lighting + 1 overhead light

C R U I S E R R A C E R

www.cruiser-racer.com



C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com



C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com



C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R
R A C E R
www.cruiser-racer.com



C R U I S E R
R A C E R
www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com



C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R R A C E R

www.cruiser-racer.com



C R U I S E R R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com

C R U I S E R
R A C E R

www.cruiser-racer.com



C R U I S E R
R A C E R

www.cruiser-racer.com

Buscarons, 6. 08022 Barcelona (Spain)

Tel.: (+34) 934 186 632

Mobile: (+34) 616 420 634

E-Mail: info@cruiser-racer.com